

# Purchase Order Receipt Listing

Tuesday, May 03, 2016 1:15:53 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO31963 Receipt Dates from 5/3/2016 to 5/3/2016 All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ Reject Qty	Book Amt
Vendor ID/Vendor Name		VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720								
PO31963	4		M7075T6B6.000X0.2 f		5/3/2016	5/3/2016	24.0000		0.0000	0	\$0.00
USD	No		50 7075-T6 BAR 6.000" f X 0.250" m134701		24.0000	PL0U01			0.0000	0	
	5		M7075T6B6.000X1.0 f		5/3/2016	5/3/2016	12.0000		0.0000	0	\$0.00
	No		00 7075-T6 BAR 6.000" f X 1.000" m134701		12.0000	PL0U01			0.0000	0	
	6		M7075T73B3.000X4. f		5/3/2016	5/3/2016	16.0000		0.0000	0	\$0.00
	No		000 7075-T73 Bar 3.0 x f 4.0 grain direction along 3" m134701		16.0000	PL0U01			0.0000	0	
	7		71401-45		4/25/2016	5/3/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m134701		1.0000	PL0U01			0.0000	0	

Total Received Quantity: 53.0000  
Total Qty to Inspect (PO U/M): 0.0000  
Total Reject Quantity: 0.0000  
Total Receipt Value: \$0.00  
Total Balance Due Quantity: 0.0000


**INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No:2946975

<b>Ship From:</b> A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 18-APR-16		<b>F.O.B.</b> ORIGIN		<b>Freight Terms</b> Prepaid		<b>Carrier</b> OLD DOMINION	
						<b>BOL No</b> 2946975-2	

<b>Shipment Details</b>
<b>Final Destination Branch - TOR</b>

<b>Order No</b> 4313952	<b>Line No</b> 2	<b>Item No</b> 752188.MO	<b>Description</b> 1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6 IN ( + .0620/- .0000 IN) X 144.5 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com				
<b>Purchase Order No</b> 31963		<b>Part Number</b>		<b>Ordered Qty</b> 1.00 PCS		<b>Invoice Qty</b> 1.00 PCS	
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
<b>Delivery No.</b> 120405195	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b> 	<b>Mech Id</b>	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 90.2818

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 18-APR-2016 04:39:39 PM

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2



Reviewed by Authorized Castle Metals Representative:

*William R. Patterson*

Name:

Date:

<b>SHIP TO:</b> A M CASTLE & CO 3050 SOUTH HYDRAULIC WICHITA, KS 67216
<b>SOLD TO:</b> AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4406794

<b>CUSTOMER PO NUMBER:</b> 347601		<b>WORK PACKAGE:</b>		<b>CUSTOMER PART NUMBER:</b> 752188		<b>SHIP RUN/LOAD:</b> 103463/10		<b>GOV'T CONTRACT NUMBER:</b>	
<b>KAISER ORDER NO:</b> 1200468	<b>LINE ITEM:</b> 1	<b>SHIP DATE:</b> 3-FEB-2016	<b>ALLOY:</b> 7075	<b>CLAD:</b> BARE	<b>TEMPER:</b> T651	<b>PRODUCT DESCRIPTION:</b> KaiserSelect Plate			
<b>WEIGHT SHIPPED:</b> 3664 LB	<b>QUANTITY:</b> 5 PCS EST.	<b>TRUCK B/L #:</b> 2058466	<b>GAUGE:</b> 1.0000 IN ( 25.4000 MM)	<b>DIAMETER/WIDTH:</b> 48.500 IN (1231.9 MM)	<b>LENGTH:</b> 144.500 IN (3670.3 MM)				

MHU 1960808: LOT 782744A7: 5 pieces;

### Certified Specifications

AMS 4045/RevK  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512

### Test Results

Lot: 782744A7 Cast 108 Drop 23 Ingot 3 Parent Lot: 159597B4 Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	83.0 : 83.2 (572 : 574)	73.9 : 74.0 (510 : 510)	13.1 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt %)	0.08	0.19	1.4	0.06	2.5	0.20	5.8	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4406794

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

### Aluminum Remainder

### ORDER COMMENTS

AMC CA-15403 R 8  
AMS 4045,AMS QQ-A-250/12,AMS STD-2154,A  
STM B209,ASTM B594,BS  
S 7055,CMMP 025,CSTI 006,DPS 4.713,GAMP  
S 9101,PS 21211

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

*James Hemmenway*

JAMES HEMENWAY, LABORATORIES SUPERVISOR





Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:2960817

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 02-MAY-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN	<b>BOL No</b> 2960817-2

Final Destination Branch - TOR

Shipment Details

<b>Order No</b> 4313952	<b>Line No</b> 1	<b>Item No</b> 750023:MO	<b>Description</b> 0.2500.PL.7075.T651.ALUMINIUM.48.5000.144.5000 CUT 2SIDED TO 6 IN ( + .0620/- .0000 IN) X 144.5 IN ( + .1250/- .0000 IN) - ALUMINIUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com	
<b>Purchase Order No</b> 31963	<b>Part Number</b>	<b>Ordered Qty</b> 2.00 PCS	<b>Invoice Qty</b> 2.00 PCS	
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
<b>Delivery No.</b> 120405195	<b>Mill</b> KAISER ALUMINIUM	<b>Heat Number</b>  1611564804	<b>Mech Id</b> 2	<b>PCs</b> 2
		<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 45.7100

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 02-MAY-2016 05:18:23 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

*Chris Galt*



MAY 02 2016

*Sp/6-05-03*

## SHIP TO:

A M CASTLE & CO  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4404256

CUSTOMER PO NUMBER: 361527		WORK PACKAGE:		CUSTOMER PART NUMBER: 750023		SHIP RUN/LOAD: 103444/4		GOV'T CONTRACT NUMBER:			
KAISER ORDER NO: 1205164		LINE ITEM: 1	SHIP DATE: 13-JAN-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: Sawed Plate				
WEIGHT SHIPPED: 3214 LB		QUANTITY: 18 PCS EST.		TRUCK B/L #: 2058075		GAUGE: 0.2500 IN ( 6.3500 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)	

MHU 1966999: LOT 161564B0: 18 pieces;

## Certified Specifications

AMS 4045/RevK  
CMMP 025/RevU

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

## Test Results

Lot: 161564B0 Cast 120

Drop 08

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	85.7 : 85.9 (591 : 592)	75.3 : 75.6 (519 : 521)	11.7 : 12.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.5	0.04	2.5	0.21	5.7	0.04	0.01	0.01	TOT 0.05





# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4404256

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15409 R 3

AMS 4045,AMS QQ-A-250/12,ASTM B209,CMMF

025

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.

\* was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

\* has been thermally processed in compliance with AMS 2772, where applicable.

\* is mercury free, within the limits of detection of ASTM E1251 (<= 1ppm).

\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.

\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



**Castle Metals®**

A. M. Castle &amp; Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:2960817

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN CA	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 02-MAY-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 2960817-2

**Shipment Details**

Final Destination Branch - TOR

<b>Order No</b> 4313952	<b>Line No</b> 2	<b>Item No</b> 752188.M0	<b>Description</b> 1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6 IN ( + .0620/- .0000 IN) X 144.5 IN ( + .1250/- .0000 IN) -ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12- Email P/s and certs to: clavoie@dartaero.com	
<b>Purchase Order No</b> 31963		<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
<b>Delivery No.</b> 120405195	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  78274471	<b>Mech Id</b> 1	<b>PCS</b> 1
			<b>Width (IN)</b>	<b>Length (IN)</b> 90.2818
			<b>Shipped Qty(LBS)</b>	

These commodities/technologies are subject to US Export Administration &amp; US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle &amp; Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.  
Date Printed: 02-MAY-2016 05:18:23 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

*Chris Galt*



MAY 02 2016

## SHIP TO:

A M CASTLE & CO  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4406794

CUSTOMER PO NUMBER: 347601		WORK PACKAGE:		CUSTOMER PART NUMBER: 752188		SHIP RUN/LOAD: 103463/10		GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1200468		LINE ITEM: 1	SHIP DATE: 3-FEB-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate			
WEIGHT SHIPPED: 3664 LB		QUANTITY: 5 PCS EST.		TRUCK B/L #: 2058466		GAUGE: 1.0000 IN ( 25.4000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)

MHU 1960808: LOT 782744A7: 5 pieces;

## Certified Specifications

AMS 4045/RevK  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512

## Test Results

Lot: 782744A7

Cast 108

Drop 23

Ingot 3

Parent Lot: 159597B4 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	83.0 : 83.2 (572 : 574)	73.9 : 74.0 (510 : 510)	13.1 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.4	0.06	2.5	0.20	5.8	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4406794

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15403 R 8  
AMS 4045, AMS QQ-A-250/12, AMS STD-2154, A  
STM B209, ASTM B594, BS  
S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP  
S 9101, PS 21211

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n° 1907/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

*James Hemenway*

JAMES HEMENWAY, LABORATORIES SUPERVISOR





Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2


Shipment No:2960817

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 02-MAY-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 2960817-2

<b>Shipment Details</b>	<b>Final Destination Branch - TOR</b>
-------------------------	---------------------------------------

<b>Order No</b> 4313952	<b>Line No</b> 3	<b>Item No</b> 752132.MO	<b>Description</b> 4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT LENGTH TO 48.5 IN ( GRAIN TO RUN ALONG 3'') X 3 IN ( + .0620/- .0000 IN (GRAIN TO RUN ALONG 3'') - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@dartaero.com
<b>Purchase Order No</b> 31963	<b>Part Number</b>	<b>Ordered Qty</b> 4.00 PCS	<b>Invoice Qty</b> 4.00 PCS

**Details**  
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY  
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S  
Email P/s and certs to: clavoie@dartaero.com  
END USER: DART AEROSPACE  
END USE: COMMERCIAL AIRCRAFT PARTS

<b>Delivery No.</b> 120403083	<b>Mill</b> AMI METALS	<b>Heat Number</b>  782794A2	<b>Mech Id</b> 4	<b>PCS</b> 4	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 241.2415
----------------------------------	---------------------------	---	---------------------	-----------------	-------------------	--------------------	-------------------------------------

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 02-MAY-2016 05:18:23 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

for credit.	Reviewed by Authorized Castle Metals Representative:	Date:	Name:

*Chris Galt*



MAY 02 2016

*9/16/05-05-03*

# BILL OF LADING

No: KS 157259  
Ship Date 26Jan16 at 0:26 From KSF

Ship From:  
AMI METALS, INC  
2535-D SOUTH KESSLER  
WICHITA, KS 67217  
Tel: 316-945-7771 Fax: 316 945-7044

Probill  
Via CUSTOMER PICK UP  
Del EXW AMI KS  
Frt CUSTOMER PICK U  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp Terry McCullough  
Sold To: ( 6303)  
A.M. CASTLE & CO.  
1420 KENSINGTON RD  
SUITE, 220  
OAK BROOK, IL 60523

Ship To: ( 2)  
CASTLE METALS  
3050 S. HYDRAULIC  
WICHITA, KS 67216  
Tel: 316-522-5900 Fax: 316-522-2272

## BILL OF LADING - REPRINT

1) Our Order KS -279363- 1 Your PO # 370957  
Part # 752132 Rel # LINE 1  
PLT T7351 BARE AMS4078 250/12 2154/ B209/2154  
7075 ALUMINUM 4.00" X 48.5000" X 144.5000"

Heat Number	Tag No	Quantity	PCS	Wt LBS
782794A2	KAISER 62375		1	2854

TOTAL:	Tags	PCS	LBS
	1	1	2854

TOTAL NUMBER OF SKIDS: 1 BUNDLE(145"X49")

TOTAL GROSS WEIGHT: 2904 LBS

\*\*\*\*\*  
C E R T I F I C A T E O F C O N F O R M A N C E  
\*  
WE CERTIFY THAT THIS SHIPMENT MEETS THE CUSTOMER  
PURCHASE ORDER REQUIREMENTS. ALL TEST DATA WAS  
FURNISHED TO AMI METALS, INC BY OUR SUPPLIER OR  
RESULTED FROM TESTS PERFORMED IN A RECOGNIZED LAB.  
\*  
\*  
\*  
SIGNED: *Tammy Sanchez*  
\*  
\*  
\* TEST REPORT COORDINATOR TAMMY SANCHEZ  
\*  
\*\*\*\*\*

Page: 1 ....Continued



The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight classifications in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.		CARRIER	CARRIER
SIGNATURE OF CONSIGNOR <b>X</b>		AGENT PER (Driver's Signature) Date	PREPAID <input type="checkbox"/>
If charges are to be prepaid, write or stamp here, "To be Prepaid."		AGENT OR CASHIER <b>X</b> (The signature here acknowledges only the amount prepaid.)	COLLECT <input type="checkbox"/>
RECEIVED \$	To apply in payment of the charges on the property described hereon.		CHARGES ADVANCED \$



Ship From:  
 AMI METALS, INC  
 2535-D SOUTH KESSLER  
 WICHITA, KS 67217  
 Tel: 316-945-7771 Fax: 316 945-7044

B I L L O F L A D I N G

No: KS 157259  
 Ship Date 26Jan16 at 0:26 From KSF  
 Probill  
 Via CUSTOMER PICK UP  
 Del EXW AMI KS  
 Frt CUSTOMER PICK U  
 Route 0- 0 Manifest  
 Vhcle Trailer  
 Slp Terry McCullough  
 Sold To: ( 6303)  
 A.M. CASTLE & CO.

Ship To: ( 2)  
 CASTLE METALS

=====

B I L L O F L A D I N G

CRITICAL CONTENTS M U S T K E E P D R Y ! ! ! ! !

AMI METALS USES NO OZONE DEPLETING SUBSTANCES IN  
 THE PACKAGING AND PROCESSING OF ITS MATERIALS.

\*\*\*\*\*

ANY CLAIM FOR DAMAGE OR DISCREPANCY MUST BE  
 SUBMITTED TO AMI METALS IN WRITING WITHIN 5 DAYS  
 OF RECEIPT FOR ANY CLAIM TO BE HONORED.

\*\*\*\*\*

THIS MUST BE PRINTED ON CARRIER'S DELIVERY RECEIPT  
 ATTENTION RECEIVING: YOU WILL BE RESPONSIBLE  
 FOR ANY DAMAGE UNLESS NOTED WHEN SIGNING BILL.

\*\*\*\*\*

\* \* \* \* \*

SHIPMENT VERIFICATION

LOADER \_\_\_\_\_ VERIFY TS

QTY \_\_\_\_\_ QTY 1

Page: 2 .... Last



CPU

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight Classifications in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.		CARRIER	CARRIER
SIGNATURE OF CONSIGNOR		AGENT PER (Driver's Signature) _____ Date _____	PREPAID <input type="checkbox"/>
X			COLLECT <input type="checkbox"/>
If charges are to be prepaid, write or stamp here, "To be Prepaid."	RECEIVED \$ _____	AGENT OR CASHIER X _____ (The signature here acknowledges only the amount prepaid.)	CHARGES ADVANCED \$ _____

SHIP TO: AMI METALS 2535-D SOUTH KESSLER WICHITA, KS 67217
SOLD TO: AMI METALS 1738 GENERAL GEORGE PATTON DR BRENTWOOD, TN 37027

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4402765

CUSTOMER PO NUMBER: KS-44343	WORK PACKAGE:	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 103433/2	GOVT CONTRACT NUMBER:
KAISER ORDER NO: 1205426	LINE ITEM: 1	SHIP DATE: 2-JAN-2016	ALLOY: 7075	CLAD: BARE
TEMPER: T7351		PRODUCT DESCRIPTION: KaiserSelect Plate		
WEIGHT SHIPPED: 5708 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2057848	GAUGE: 4.0000 IN (101.6000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
LENGTH: 144.500 IN (3670.3 MM)				

MHU 1961589: LOT 782794A2: 1 pieces;  
MHU 1961590: LOT 782794A2: 1 pieces;

### Certified Specifications

AMS 4078/RevJ  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
MMS 159/RevT

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1  
PS 21211/RevM

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 4297

### Test Results

Lot: 782794A2 Cast 108 Drop 17 Ingot 3 Parent Lot: 159756B6 Melted in USA

(ASTM E8/B567)

(EN 2002-1)

Tensile:	Tempor	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 3 (Min:Max)	63.6 : 67.3 (439 : 464)	50.3 : 55.8 (347 : 385)	10.0 : 11.5

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.3 Min	41.0 Max
(MS/M) :	23.4 Min	23.8 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.19	1.5	0.09	2.5	0.19	5.8	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4402765

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:  
\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.  
\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.  
\* has been thermally processed in compliance with AMS 2772, where applicable.  
\* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).  
\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.  
\* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, IECI n°1807/2006.  
\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.  
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

*James Hemenway*

JAMES HEMENWAY, LABORATORIES SUPERVISOR

Page 2 of 2



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL 11707ST73B 3.00X4.00  
DATE 11/05/04

PO / BATCH NO 31963/134701

MATERIAL CERT REC'D Yes  
QUANTITY RECEIVED 16'  
QUANTITY INSPECTED 16'  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED 3.00X4.00  
THICKNESS RECEIVED 3.040X3.970  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORROSION	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY <u>DAS</u>	SIGNED OFF BY _____		
DATE <u>11/05/04</u>	DATE _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL M7075 T6 B6-000X1.00  
 DATE 16/05/11

PO / BATCH NO 31963/134701

MATERIAL CERT REC'D yes  
 QUANTITY RECEIVED 12'  
 QUANTITY INSPECTED 12'  
 QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED 6.00X1.00  
 THICKNESS RECEIVED 6.00X1.018  
 SHEET SIZE ORDERED \_\_\_\_\_  
 SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY	<u>DAS</u> <u>11</u>	SIGNED OFF BY	_____
DATE	<u>16/05/11</u>	DATE	_____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL M7075TLB6.00 X.250  
DATE 16/05/11

PO / BATCH NO 31963/134701

MATERIAL CERT RECD yes  
QUANTITY RECEIVED 24  
QUANTITY INSPECTED 24  
QUANTITY REJECTED \_\_\_\_\_

THICKNESS ORDERED 6.00 X.250  
THICKNESS RECEIVED 6.040 X.248  
SHEET SIZE ORDERED \_\_\_\_\_  
SHEET SIZE RECEIVED \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	N	
CORRECT FINISH	Y	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT THICKNESS	Y	N	
PHOTO REQUIRED	Y	N	
CORRECT MATERIAL	Y	N	
CORRECT REF # TO LINK CERT	Y	N	
CORRECT MATERIAL IDENTIFICATION	Y	N	
CORRECT M# ON THE MATERIAL	Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*Testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY	DAS 11 9-00	SIGNED OFF BY	
DATE	16/05/11	DATE	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31963**

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 1 of 4

**Order From :**

VU-MET002

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

APR 07 2016

**E-MAILED**

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M2024T3A.750X.750X.063W	Angle2024T3511 .750 x .750 x .063w	4/25/2016 Yes 4/25/2016		12.00 ✓ f	\$20.84	\$250.08
MATERIAL: 2024-T3/T3510/T3511 ALUMINUM ANGLE AS PER AMS-QQ-A-200/3 PR AMS 4152/4164/4165 MATERIAL # 60-34384-23-144 ✓							Line Total: \$250.08
2	M2024T3A1.0X1.5X125	Angle 2024T3511 1.0x1.50x .125w	4/25/2016 Yes 4/25/2016		12.00 ✓ f	\$28.86	\$346.32
MATERIAL: 2024-T3/T3510/T3511 ALUMINUM ANGLE AS PER AMS-QQ-A-200/3 PR AMS 4152/4164/4165 P/N: 10134-1404 ✓							Line Total: \$346.32

*SP/6 04-24*

Note:

4/7/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31963

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 2 of 4

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone

Ship To Contact  
Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer  
Customer POID  
Customer Tax #  
Terms  
Currency  
FOB  
Chantal Lavoie  
10127-2607  
Net 30  
USD  
Destination-Collect

3	M7075T6A1.5X1.5X.063	7075T6 ANGLE 1.5" X 1.5" X .063"W	4/25/2016	12.00	\$20.12	\$241.44
			Yes	f		
			4/25/2016			

MATERIAL: 7075-T6511 AS PER AMS-QQ-A-200/11  
METARIAL P/N: 10133-1401

Sp/6-04-26

Line Total: \$241.44

4	M7075T6B6.000X0.250	7075-T6 BAR 6.000" X 0.250"	4/25/2016	24.00	\$13.75	\$330.00
			Yes	f		
			4/25/2016			

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Sp/6-05-03

Line Total: \$330.00

5	M7075T6B6.000X1.000	7075-T6 BAR 6.000" X 1.000"	4/25/2016	0.00	\$0.00	\$0.00
			Yes	f		
			4/25/2016			

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Note:

4/7/2016





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO31963

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 3 of 4

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

5	M7075T6B6.000X1.000	7075-T6 BAR 6.000" X 1.000"	4/25/2016	12.00	✓	\$39.10	\$469.20
			Yes	f			
			4/25/2016				

Line Total: \$469.20

6	M7075T73B3.000X4.000	7075-T73 Bar 3.0 x 4.0 grain direction along 3"	4/25/2016	16.00	✓	\$66.75	\$1,068.00
			Yes	f			
			4/25/2016				

MATERIAL: 7075-T73/T7351/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 3" WIDE

Line Total: \$1,068.00

Note:

4/7/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO31963**

Purchase Order Date 4/7/2016

PO Print Date 4/7/2016

Page Number 4 of 4

**Order From :**  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**  
**Vendor Phone**

**Buyer**  
**Customer POID**

Chantal Lavoie

**Ship To Contact**  
**Ship To Phone**

**Customer Tax #**  
**Terms**

10127-2607  
Net 30

**Ship Via:** Yours ppd  
**Ship Acct:**

**Currency**  
**FOB**

USD  
Destination-Collect

7	71401-45	PROCUREEMNT QUALITY CLAUSES	4/25/2016	1.00	\$0.00	\$0.00
---	----------	--------------------------------	-----------	------	--------	--------

No

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of materila conformance  
A041 quality management system  
A042 dart noyification by supplier  
A043 retention of quality documents

4/25/2016

**Line Total:** \$0.00

**PO Total:** \$2,705.04

u

CL

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

**Change Nbr:** 1

**Change Date:** 4/7/2016